

συνθετικά πάνελ



 **Solid**
DOORS & PANELS

olidDoorssolidDoorssolidDoorssolidDoorssolidDoorssolidDoorssolidDoors

Η **SOLID DOORS & PANELS ABEE** είναι μια εταιρεία που λειτουργεί σε εγκαταστάσεις 3.000 τ.μ. στο 18° χλμ. της Εθνικής οδού Θεσσαλονίκης - Κιλκίς στην περιοχή της Λιτής. Έχει μπει δυναμικά στην αγορά, με αντικείμενο εργασιών την κατασκευή και εμπορία συνθετικών panels για εξωτερικά κουφώματα, επενδύσεων για θωρακισμένες πόρτες ασφαλείας και χωρίσματα γραφείων.

Η άψογη κατασκευή, η λειτουργικότητα και η τελειότητα είναι μερικές λέξεις που συνοδεύουν την εταιρεία **SOLID DOORS & PANELS**.

Τα παραπάνω εγγυώνται το έμπειρο και συνεχώς εκπαιδευόμενο προσωπικό της και ο άρτιος και σύγχρονος εξοπλισμός της.

Επιλέγοντας την καλύτερη ποιότητα των υλικών που διαθέτει η Ευρωπαϊκή αγορά, είναι σε θέση να προσφέρει στον πελάτη, το αποτέλεσμα που επιθυμεί.

SOLID DOORS & PANEL SA is a company award in the 18 kil of national way Thessaloniki – Kilkis, in 3.000 sqm of production place in, the Liti's municipality. The main production are panels of synthetically material (abs), for doors end windows frames of PVC , security doors end internal divide office's panels.

The quality, the functionality end the perfection of our products, is the advantage of our company. The experience, the training of the staff end the continuum tool up, assure the constant result of our production.

The feedstock is the optimum quality imported from middle Europe, end elaborated with our know-how, the result is the desired from client.

company profile

DOORS & PANELS

DOORS & PANELS

Η **SOLID DOORS** δίνει λύση στο πάνελ της πόρτας εισόδου δημιουργώντας μια σχέση εμπιστοσύνης με τους συνεργάτες της. Έτσι εγγυάται αυτό που κάθε συνεργάτης επιθυμεί να έχει.

Ποιότητα προϊόντων, άμεση εξυπηρέτηση, δυνατότητα επιλογών.

ΤΕΧΝΙΚΑ ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

- Χρησιμοποιούμε ABS 2mm και στις 2 πλευρές του panel καθώς και κόντρα πλακέ θαλάσσης (marine plywood) άριστης ποιότητας. Τα υλικά αυτά μπορούν να ανακυκλωθούν και είναι ανθεκτικά στις πιο υψηλές και χαμηλές θερμοκρασίες. Η θερμική μόνωση είναι $\pm 1,6 \text{ w / m}^2$ στο panel πάχους 24mm με ABS PMMA σε κόντρα πλακέ θαλάσσης.
- Τα υλικά μας είναι ανθεκτικά στις καιρικές συνθήκες και στην θαλασσινή αλμύρα. Και έχουν πολύ καλή επίδοση όσον αφορά την ηχητική μόνωση.
- Οι κορνίζες των πάνελ είναι θερμικά μορφοποιημένες και όχι πρόσθετες στο panel. Έτσι δεν παρουσιάζουν ενώσεις και προεξοχές.
- Οι κορνίζες των panel είναι όλες γεμισμένες με ρητίνη πολυουρεθάνης για να μην υπάρχουν προβλήματα φουσκώματος ή σπασίματα.
- Υπάρχει μεγάλη ποικιλία σε κλασικά και σε μοντέρνα σχέδια.
- Υπάρχει μεγάλη ποικιλία χρωμάτων RENOLIT με επεξεργασία SST SOLAR για ακόμη μεγαλύτερη προστασία από την υπεριώδη ακτινοβολία (μείωση της ηλιακής απορρόφησης έως και -20°C)
- Διαθέτουμε επιλογές σε σχέδια με στενή κορνίζα για στενές πόρτες.
- Προσφέρουμε πολλές επιλογές για πλαϊνά σταθερά.
- Όλα τα πάνελ με τζάμι τοποθετούνται με ηχητικό, ώστε να είναι δυνατή η αλλαγή του τζαμιού.
- Υπάρχει μεγάλη ποικιλία σε βιτρό χειροποίητα, κρύσταλλα φούρνου (fused glass), κάγκελα μασίφ χειροποίητα και τζάμια με πολλές επιλογές τύπων.
- Όλες οι κοπές και διαμορφώσεις γίνονται με εξειδικευμένο μηχάνημα CNC και χρησιμοποιούνται μόνο άριστα υλικά στα σημεία συγκόλλησης για ένα εμφανισιακά άψογο και ποιοτικά άριστο αποτέλεσμα.
- Τα panel είναι συσκευασμένα σε χαρτοκιβώτιο στην διάσταση του panel με προστατευτικά πολυστερίνης.
- Η συντήρηση των panel είναι ιδιαίτερα απλή αφού απαιτεί μόνο νερό και σαπούνι.
- Εξασφαλίζουμε άμεση παράδοση 5 ημερών σε όλα τα σχέδια και χρώματα.
- Όλα τα προϊόντα μας καλύπτονται από εγγύηση 5 ετών.

Άλλα προϊόντα είναι

- Οι επενδύσεις θωρακισμένων πορτών από ακρυλικό foil για χρήση σε εξωτερικούς χώρους, με μεγάλη ποικιλία σχεδίων και χρωμάτων.
- Τα επίπεδα φύλλα TROTHERM από PVC σε διάσταση 3000 X 1500 mm και με πάχος 20 mm και 24 mm.

Όλα τα προϊόντα, καθώς και τα υλικά της εταιρείας μας παρέχουν την πιστοποίηση ISO 9001

- We use ABS 2mm on both sides of the panel and high quality marine plywood. These materials can be recycled and they are more resistant to high and low temperatures. The thermal insulation is $\pm 1,6 \text{ w / m}^2$ at 24mm thick panel with ABS PMMA in plywood.
- Our materials are resistant to weather conditions and sea saltiness. And have very good performance in noise insulation.
- The frames of the panels are heat shaped and not additional to the panel. So there aren't any projections.
- The frames of the panel are filled with polyurethane resin to avoid inflation problems or breaks.
- There is a wide variety of classic and designs.
- We have a wide variety of RENOLIT colors with SST SOLAR finish for further protection against UV radiation (reduction of solar absorption up to -20°C)
- We have choices in small frames for confined doors.
- We offer many options for stable sidepanels.
- All glass panel are fitted with slats, to allow the change of the glass.
- We offer a wide variety of handmade vitreous glass, fused glass, railings solid handmade and many types of glasses.
- All cuts and configurations are performed with specialized CNC machines and only materials of best quality are used in welding points so that we have excellent quality results.
- The panel are packaged in boxes of the exact dimension of the panel with protective stripes of polystyrene.
- The maintenance of the panels is very simple since it requires only soap and water.
- We provide direct delivery in 5 days for all designs and colors.
- All our products are guaranteed by 5 years.

Other products

- Panels with acrylic foil covering used for armored doors for outdoors. We offer a wide variety of designs and colors.
- TROTHERM sheets of PVC in dimension 3000 X 1500 mm and a thickness of 20 mm and 24 mm.

All products and materials have the ISO 9001 certification





S 10
900X2100 Panel's Dimensions

540X1590 Externals Dimensions of
Panel's cornice (drawing)

S-13 Fused Glass F2



S 10



SS 74 Iron Bar A1

S 13 Iron Bar A1



S 15 Vitraux K10

DOORS & PANELS



SS 74 Fused Glass F1- S 13 Fused Glass F1



S 15 Vitraux K12



S 15 Fused Glass F3



S 13 Fused Glass F3



S 13 Vitraux K11



SS 24 Fused Glass F3
S 24 Fused Glass F3



S 20

S 20
900X2100
Panel's Dimensions

540X1580
Externals Dimensions of
Panel's cornice (drawing)



S 24 Golden Rhombus Bar



SS 24 White Bar

S 24 White Bar



S 22 Fused Glass F2



S 22 Vitraux K21



S 24 Fused Glass F3



S 22 Iron Bar A1



S 22 Vitraux K20



S 22 Fused Glass F1



S 30

S 30

900X2100

Panel's Dimensions

380X1580

Externals Dimensions of
Panel's cornice (drawing)



S 31 White Bar



S 31 Iron Bar A1



S 31 Fused Glass F1



S 31 Iron Bar A2



S 31 Fused Glass F2



S 42 Yellow Cathedral



S 42 Blue Cathedral

DOORS & PANELS

S 40
900X2100
Panel's Dimensions

530X1610
Externals Dimensions of
Panel's cornice (drawing)



S 42 Sand Spread



S 41 Yellow Cathedral



S 50



S 50

900X2100

Panel's Dimensions

560X1570

Externals Dimensions of Panel's cornice (drawing)



S 53 Fused Glass F2

SS 53 Fused Glass F1

S 53 Fused Glass F1



S 53 Fused Glass F1



S 53 Iron Bar A1



SS 55 Concave - S55 Concave



S 62 Fused Glass F1

S 60 ΚΛΕΙΣΤΟ
900X2100
Panel's Dimensions

540X1590
Externals Dimensions of
Panel's cornice (drawing)



S 64 Delta Mat

DOORS & PANELS



S 64 Fused Glass F1



S 64 White Bar



S 70



SS 76 Fused Glass F3 - S 76 Fused Glass F3

S 70
900X2100
Panel's Dimensions

550X1600
Externals Dimensions of
Panel's cornice (drawing)

DOORS & PANELS



S 76 Fused Glass F4



S 74 Iron Bar A1



S 74 Fused Glass F2



S 74 Vitraux K12



S 76 Vitraux K10



S 74 Fused Glass F1



S 74 Vitraux K11



S 80



S 82 White Bar



S 81 Fused Glass F5



S 81 Iron Bar A1



S 83 Fused Glass F3

DOORS & PANELS



S 83 Iron Bar A1



S 83 Fused Glass F2



S 83 Fused Glass F4

S 80

900X2100 Panel's Dimensions

550X1590 Externals Dimensions of Panel's cornice (drawing)



S 83 Vitraux K84



S 83 Vitraux K83



S 83 Fused Glass F1



S 92 Blue Cathedral

S 90
900X2100
Panel's Dimensions
550X1590
Externals Dimensions of
Panel's cornice (drawing)



S 94 Yellow Cathedral



S 93 Sand Spread



S 90



S 91 Delta Mat



S 102 Fused Glass F3

S 100
900X2100
Panel's Dimensions

530X1580
Externals Dimensions of
Panel's cornice (drawing)

D O O R S & P A N E L S



S 104 Fused Glass F2



S 104 Golden Bar



S 102 Fused Glass F1



S 102 Iron Bar A1



S 110

S 110
900X2100
Panel's Dimensions

530X1560
Externals Dimensions of
Panel's cornice (drawing)



S 111 Fused Glass F1



S 112 White Bar



S 111 Iron Bar A1



S 111 Fused Glass F2

S 120
900X2100 Panel's Dimensions
490X1600 Externals Dimensions of Panel's cornice (drawing)



S 121 Fused Glass F3



S 121 Vitraux K121



S 121 Fused Glass F4



S 121 Fused Glass F2



S 121 Vitraux K120



S 121 Fused Glass F1



S 131 Fused Glass F1



S 131 Carre



S 131 Fused Glass F2

S 130

900X2100 Panel's Dimensions

560X1600 Externals Dimensions
of Panel's cornice (drawing)



S 131 Vitraux K131



S 131 Iron Bar A1



S 131 Iron Bar A2

S 141 Fused Glass F4



S 141 Vitraux K141



S 141 Fused Glass F5



Carre

S 140
900X2100 Panel's Dimensions
560X1600 Externals Dimensions of Panel's cornice (drawing)



S 141 Fused Glass F2



S 141 Fused Glass F1



S 141 Fused Glass F3



S 156 Fused Glass F1



S 158 Fused Glass F2



S 156 Fused Glass F3

S 150
900X2100 Panel's Dimensions
600X1600 Externals Dimensions
of Panel's cornice (drawing)



S 152 Blue Cathedral



S 154 Yellow Cathedral



S 158 Yellow Cathedral



S 163 Fused Glass F1

S 160
900X2100
Panel's Dimensions
560X1040
Externals Dimensions
of Panel's cornice (drawing)



S 163 Delta Mat



S 163 Blue Cathedral



S 160



S 171 Belvepane Glass T1



S 171 Vitraux K172



S 171 Vitraux K173

S 170
900X2100 Panel's Dimensions
590X1600 Externals Dimensions
of Panel's cornice (drawing)



S 171 Iron Bar A1



S 171 Fused Glass F2



S 171 Fused Glass F1

S 181 Blue Cathedral DOORS & PANELS



S 181 Delta Mat

S 180
900X2100
Panel's Dimensions
470X1600
Externals Dimensions
of Panel's cornice (drawing)



S 180



S 190
900X2100
Panel's Dimensions

550X1600
Externals Dimensions
of Panel's cornice (drawing)


S 191 Delta Mat



S 191 Yellow Cathedral



S 190



S 191 Fused Glass F1

DOORS & PANELS



S 200

S 200
900X2100
Panel's Dimensions

550X1540
Externals Dimensions
of Panel's cornice (drawing)



S 201 Blue Cathedral



S 201 Yellow Cathedral



S 211 Fused Glass F1



S 211 Fused Glass F2



S 211 Vitraux K211

S 210
900X2100 Panel's Dimensions
550X1590 Externals Dimensions
of Panel's cornice (drawing)



S 211 Fused Glass F3



S 211 Delta Mat



S 211 Vitraux K212

DOORS & PANELS



SS 223 Iron Bar A1 S 223 Iron Bar A1



S 223 Iron Bar A1

S 220
900X2100 Panel's Dimensions
510X1590 Externals Dimensions of Panel's cornice (drawing)



S 223 Fused Glass F1



S 220



S 223 Fused Glass F2



SS 241 Fused Glass F1 - S 241 Fused Glass F1



S 241 Iron Bar A2



S 240



S 240
900X2100
Panel's Dimensions

550X1540
Externals Dimensions
of Panel's cornice (drawing)

DOORS & PANEL



SS 241 Iron Bar A1 - S 241 Iron Bar A1



S 231 Iron Bar A2



SS 231 Fused Glass F1 - S 231 Fused Glass F1



SS 231 Iron Bar A1 - S 231 Iron Bar A1

S 230
900X2100
Panel's Dimensions
550X1540
Externals Dimensions
of Panel's cornice (drawing)



S 230



S 250



S 251 Fused Glass F3

S 250
900X2100
Panel's Dimensions

550X1540
Externals Dimensions
of Panel's cornice (drawing)



S 251 Fused Glass F2



S 251 Iron Bar A1



S 251 Fused Glass F1



S 260



S 264 Fused Glass F1



S 264 Fused Glass F3



S 264 Fused Glass F2 DOORS & PANELS

S 230
900X2100
Panel's Dimensions
600X1600
Externals Dimensions
of Panel's cornice (drawing)

S 271 Iron Bar A1



S 271 Fused Glass F1



S 270




S 270
900X2100
Panel's Dimensions

590X1600
Externals Dimensions
of Panel's cornice (drawing)



S 271 Fused Glass F2



S 271 Fused Glass F3

DOORS & PANELS

DOORS & PANELS



S 280



S 284 Iron Bar A1




S 284 Fused Glass F1

S 280
900X2100
Panel's Dimensions
600X1600
Externals Dimensions
of Panel's cornice (drawing)



S 284 Fused Glass F2


SI 410 Decor Inox



A 101



M 7048




C 9007



A 104



A 103



A 107



AM 103

SI 411 Decor Inox & Glass A 104



SI 411 Decor Inox & Glass AM 103



SI 411 Decor Inox & Glass M 7048

FRAMES & PANELS

SI 410

900X2100

Panel's Dimensions

255X1700

Externals Dimensions
of Panel's cornice (drawing)

SI 422 Decor Aluminium & Glass AM 103



A 101



M 7048




C 9007



A 104



A 103




A 107



AM 103

SI 422 Decor Aluminium & Glass A 107



SI 421 Decor Inox




SI 420 Decor Aluminium

SI 420
900X2100
Panel's Dimensions

300X1700
Total Dimensions of
glasses used

300X50
Dimensions
of one glass only


SI 430 Decor Aluminium & Glass A 107



A 101




M 7048




C 9007



A 104



A 103



A 107



AM 103

SI 430 Decor Aluminium



SI 430 Decor Aluminium & Glass A 104



SI 430 Decor Aluminium & Glass AM 103

RS & PANELS

SI 430
900X2100
Panel's Dimensions

590X1600
Externals Dimensions
of Panel's cornice [drawing]

SI 440
 900X2100 Panel's Dimensions
 590X1600 Externals Dimensions of Panel's cornice (drawing)



SI 440 Decor Inox



SI 441 Decor Inox & Glass
 AM 103



SI 441 Decor Inox & Glass
 AM 107



SI 450
 900X2100 Panel's Dimensions

650X1700 Externals Dimensions
 of Panel's cornice (drawing)



SI 450 Decor



SI 451 Decor Aluminium



SI 452 Decor Cover's Inox

SI 460
900X2100
Panel's Dimensions

330X1700
Externals Dimensions
of Panel's cornice (drawing)



SI 460 Decor Inox



SI 460 Decor Inox

DOORS & PANELS

DOORS & PANELS



SI 471 Decor Inox & Glass
AM 103



A 101



M 7048




C 9007



A 104



A 103



A 107




AM 103




SI 471 Decor Inox & Glass
A 101



SI 470 Decor Inox




SI 472 Yellow Cathedral



SI 470
900X2100
Panel's Dimensions
375X1700
Externals Dimensions
of Panel's cornice (drawing)



SI 482 Decor Inox & Yellow Cathedral



A 101



A 104




M 7048



A 103



C 9007



A 107



AM 103



SI 481 Decor Inox & Glass AM 103

SI 480
900X2100
Panel's Dimensions

200X1700
Externals Dimensions
of Panel's cornice (drawing)



SI 481 Decor Inox & Glass A 103



SI 480 Decor Inox



SI 481 Decor Inox & Glass A 101

S 001-002
900X2100
Panel's Dimensions

S 001 Decor




S 002 Decor



DOORS & PANELS


S 01

Externals Dimensions of Panel's cornice (drawing) 550X400




S 05

Externals Dimensions of Panel's cornice (drawing) 410X430



S 04

Externals Dimensions of Panel's cornice (drawing) 280X280



TROTHERM 20mm & 24mm

Width: 3000mm
Height: 1500mm

S 000 Width: 900mm
Height: 2100mm



S 10



S 20



S 30



S 40



S 50



S 60



S 70



S 80



S 90



S 100



S 110



S 120



S 130



S 140



S 150



S 160



S 170



S 180



S 190



S 200



S 210



S 220



S 230



S 240



S 250



S 260



S 270



S 280



SI 410



SI 420




SI 430



SI 440




SI 450



SI 460









SI 470




SI 480

χρωματολόγιο



τεχνικά χαρακτηριστικά




Resin

ABS Acrylic

Styrofoam

Aluminium



Resin

ABS Acrylic

Polywood



white cathedral




rice



sand spread



natural



delta mat




madras satine



delta yellow



blue cathedral



delta white



delta bronze



yellow cathedral



triplex 3+3



stop sol



bronze

τζάμια

DOORS & PANELS

συνθετικά πάνελ



18ο χλμ. Θεσσαλονίκης - Κιλκίς
Τ.Κ. 545 00, Τ.Θ.3210, Λιτή
Τηλ.: 23940/33.230 - 31
Fax.: 23940/33.234

18th klm. Tsessaloniki - Kilkis, Greece
Zip Code: 545 00, P.O. Box. 3210, Liti
Tel.: (+30) 23940/33.230 - 31
Fax.: (+30) 23940/33.234

e-mail: info@solid-door.gr